

AMESON



Stable · Innovative · Honest · Grateful

Better Cushion Better Protection



About Us

Ameson was established in 2006, it is a professional and leading manufacturer in cushion packaging machinery and material, with a registered capital of 40 million yuan and a plant area of about 70,000 m². It integrates R&D, manufacturing, self-owned brand and global marketing. It was also awarded as national “new specialized and sophisticated” Little Giant Enterprise.

Ameson owns brands for air cushion MINI AIR[®], paper cushion PaperEZ[®], biodegradable film BioAir[®], foam in place mini foam[®], TapeZ[®] etc. All machines and material have certificates with CE, UL, OK-compost, FSC, GRS, RoHS, etc.

With headquarters based in Xiamen China, Ameson has so far obtained more than 73 invention patents, 84 utility model patents, 6 international patents, 2 USA patents and 50 national registered trademarks. With subsidiaries in USA, Guangdong China, Hangzhou China, Ameson also has distributors covers the EU, Japan, South Korea, Southeast Asia, and all over the world.

Thousands of warehouse fulfillments, including Amazon, Alibaba, IBM, JD etc. are using AMESON protective cushion products and intelligent packaging services every day. We protect at least millions of packages every day.

Mission: To provide customers with more Eco-friendly, safer and simpler protective packaging solutions.

Vission: To be a national leading brand in cushion packaging industry.

With the love and hope, Ameson people are grateful and give back to the society, we founded the “Charity of Aishi” in 2009, to help the disabled people and some other vulnerable groups, we help more than 500 families in need per year.

CONTENTS



MINI AIR Inflatable Air Cushion

Air cushion series

MINI AIR EASi 2S

MINI AIR EASi 2

MINI AIR PRO 2

MINI AIR PRO 3

MINI AIR CLASi 3

Extensions

Filler

BioAir Filler

Wrapper

BioAir Wrapper

Air column series

MINI AIR TUBE 4

Air column wrap

BioAir air column wrap

Others

Max Inflatable Shoe Trees



PaperEZ Paper Cushion

PaperEZ SmartCushion

PaperEZ SmartMaterial

PaperEZ SmartFill

PaperEZ SmartFill M

Void Fill Paper

PaperEZ WrapAuto

PaperEZ WrapManual

PaperEZ WrapBox A/E

Wrap Honeycomb Paper

PaperEZ Bubble Machine

PaperEZ Bubble Paper



PaperEZ Strap

Automatic Strapping Machine

Plant Fiber Strap

Paper Strap



MINI FOAM Foam in place

MINI FOAM MFA01

MINI FOAM Flexi Plus

MINI FOAM Handy



TapeZ

Gummed Paper Tape Dispenser

TapeZ Hand-held Dispenser

TapeZ Auto Dispenser

TapeZ Water Activated Tape



JifBag Mailer

JifBag Bubble Paper Padded Mailer

JifBag Honeycomb Paper Padded Mailer

JifBag Inflatable Bubble Mailer

Jifbag Plus inflatable Bubble Mailer



Super Air Dunnage Bag

Dunnage Bag

01

MINI AIR® EASi 2S



Compact



Cost Saver



Easy Operation

★ Temperature/Air volume adjustable.

★ Error warning, easy maintenance.

Specification

Power: 72w

Speed: 4m/min

Voltage: AC100V-240V 50Hz-60Hz

Weight: 3kg

Size: L410*W220*H280 (mm)

Consumables: Filler/Wrapper

HDPE 13-20um



Compact, space saving



Package display-Filler



Package display-Wrapper

Upgrade Version



Specification

Power: 120w

Speed: 8m/min

Voltage: AC100V-240V 50Hz-60Hz

Weight: 3.85kg

Size: L410*W220*H280 (mm)

Consumables:

Filler / Wrapper 、HDPE 13-20um

Paper/Compostable Film、LDPA 25-38um



Compact



Cost-effective



Stable


★ Intelligent and high efficiency.

★ Length can be preset, stop when no film.

★ Capable with arm stand.




Compact, space saving



Heating wheel design,
perfect sealing.



Pakcage display



No belt,
less maintenance.



- ★ High Speed, stable inflatable void-fill system.
- ★ Support multi extensions system.
- ★ Intelligent detection, machine stop when no film.
- ★ Heating error warning.

Specification

Power: 240w

Speed: 25m/min


Voltage: AC110V-220V 50Hz-60Hz

Weight: 12kg

Size: L380*W505*H400 (mm)

Consumables: HDPE/LDPA(13-38um)

Paper/Bio Film (Width:200-800mm)



Big fan built in,
more air volume.

Heating wheel design,
perfect sealing.

No belt,
less maintenance.

Upgrade Version



- ★ One machine for multitype films.
- ★ Tension adjustable automatically.

- ★ No air backflow, keep more air in.
- ★ Special design for perfect sealing.

Specification

Power: 240w

Speed: 15m/min


Voltage: AC110V-220V 50Hz-60Hz

Weight: 13kg

Size: L380*W505*H480 (mm)

Consumables: Wrapper/Jifbag Plus/Compostable Air Column

HDPE 13-30um/ LDPA 20-38um (Width:400-800mm)



Length can be preset, stop when no film.



Need works with:
air compressor or outer air source.



- ★ Perfect sealing, tightly locked the air.
- ★ Stop automatically when no film
- ★ Length can be preset
- ★ Capable with extentions

Specification

Power: 180w

Speed: 8-15m/min

Voltage: AC100V-240V 50Hz/60Hz

Weight: 5.9kg

Size: L330*W310*H290 (mm)

Consumables: Paper Filler/Wrapper, HDPE

LDPA/Compostable Film



Basket



Size: L1040*W600*H1350mm
 Weight: 22KG
 Capable with: PRO, CLASI
 Function:
 Collect the inflated Filler/Wrapper

Film delivery system

(Optional: Basket)



Size: L760*W500*H2388mm
 Weight: 65KG
 Voltage: 220V; 50~60HZ
 Capable with: PRO, CLASI
 Function: Delivery inflated Filler/
 Wrapper to the top basket

Overhead Hopper



Size: L1330*W710*H2450mm
 Weight: 77KG
 Voltage: 110V; 50~60HZ
 Capable with: PRO
 Function: Delivery inflated Filler/
 Wrapper to the top basket

Roller Winder




Size: L5100*W780*H1030mm
 Weight: 26KG
 Voltage: 220V/50HZ
 Capable with: PRO, CLASI
 Function: Wind the inflated Wrapper

Underneath-table Basket



Size: L1420*W780*H1560mm
 Weight: 27.5KG
 Capable with: PRO2
 Function: Collect the inflated
 Filler/Wrapper under table

Arm Stand



Size: L800*W260*H1600mm
 Weight: 6.9KG
 Capable with: EASi 2
 Function: Hanging EASi2 above
 the desktop

07

MINI AIR[®] Filler
 Air Pillow



Material Feature:

- ★ HDPE: Multi shapes and colors are available, minimum thickness 13μm.
- ★ LDPA: Lowest air leakage, high bearing capacity.
- ★ Recycled HDPE: Reuse PE, reduce carbon footprint.
- ★ Antistatic films: ESD film, not easy to adsorb dust, friendly to electronic products.
- ★ Recycled LDPE: Reuse PE, reduce carbon footprint, with soft hand feeling and high toughness.

Types Details	Recycled HDPE	HDPE	Antistatic air pillow	LDPA
Thickness (μm)	13-30		15-30	30-38
Width (mm)	200-400			
Length per bag (mm)	80-300			
Length/Roll (m)	50-1800			300-800
Customized logo	Available for single color or twin colors			
Warranty	2 years		12 months	
Certificates	GRS	Reach/RoHS		
Capable with	EA2/EA2S/PA2/CA3-2			EA2/PA2/PA3/CA3-2

Remarks: Different machine matches with different length/width/thickness.



BioAir® Filler
Compostable Air Pillow



BioAir® Compostable Air Pillow



OK Compost Certified



FSC Certified

BioAir® Paper Air Pillow



Optional Colors

It will degrade into water and carbon within one year under composting conditions.



PLA+PBAT
eco-friendly material



CO₂, H₂O



Details \ Types	Compostable air pillow	Paper air pillow
Thickness (μm)	20-30	50
Width (mm)	200-400	
Length per bag (mm)	80-300	
Length/Roll (m)	200-700	50-500
Customized logo	Available for single color or twin colors	
Warranty	12 months	
Certificates	OK COMPOST	FSC/OK COMPOST
Capable with	EA2/PA2/CA3-2	

Remarks: Different machine matches with different length/width/thickness.

MINI AIR® Wrapper Bubble Wrap



HDPE



LDPA



Recycled HDPE



Antistatic bubble wrap

Material Feature:


- ★ HDPE: Multi shapes and colors are available, minimum thickness 15um.
- ★ LDPA: Lowest air leakage, high bearing capacity.
- ★ Recycled HDPE: Reuse PE, reduce carbon footprint.
- ★ Antistatic films: ESD film, not easy to adsorb dust, friendly to electronic products.
- ★ Recycled LDPE: Reuse PE, reduce carbon footprint, with soft hand feeling and toughness.

Types Details	Recycled HDPE	HDPE	Antistatic bubble wrap	LDPA
Shape	Bubbles, Heart bubbles Quilt Large / Small, Tube Large /Small, Tube Multi, Tube Wave, Bubble wave etc...			
Thickness (um)	15-38			30-38
Width(mm)	200-800			
Length per bag (mm)	120-360			
Length/Roll(m)	280-1000			280-550
Customized logo	Available for single color or twin colors			
Warranty	2 years		12 months	
Certificates	GRS	Reach/RoHS		
Capable with	EA2/EA2S/PA2/PA3/CA3-2			EA2/PA2/PA3/CA3-2

Remarks: Different machine matches with different length/width/thickness.




BioAir® Wrapper
Compostable bubble wrap



BioAir®
Compostable bubble wrap



BioAir®
High Barrier compostable bubble wrap




BioAir® Paper bubble



Brown, black, pink colors are available



PLA+PBAT eco-friendly material




It will degrade into water and carbon within
one year under composting conditions.

Types Details	Compostable bubble wrap	High Barrier compostable bubble wrap	Paper bubble wrap
Thickness (μm)	20-30	30-60	50
Width(mm)	300-600		
Length per bag (mm)	120-360		320
Length/Roll(m)	280-550	100-200	50-250
Customized logo	Available for single color or twin colors		
Warranty	12 months		
Certificates	OK COMPOST		FSC,OK COMPOST
Capable with	EA2/PA2/CA3-2	PA2/PA3	EA2/PA2/CA3-2

Remarks: Different machine matches with different length/width/thickness.

MINI AIR[®] TUBE 4 Industrial Air Column Machine



- ★ Air pressure can be flexibly adjusted.
- ★ Applicable for various kinds of air column types.
- ★ Adjustable film base plate.
- ★ Multiple vent makes the air column fully filled with air.

Specification

Power: 200w

Speed: 3-20m/min

Voltage: AC100V-240V 50Hz-60Hz


Weight: 18.6kg

Size: L815*W350*H695 (mm)


Consumables: L bag, Q bag, Sheet type, U bag etc

Material: PE+nylon

Roll size: Diameter ≤ 29cm , Height ≤ 120cm, Weight ≤ 40kg



Special design to prevent the air backflow.



Innovative upgrade design, full and evenly filled.



Length can be preset, speed adjustable.



External air source needed.

Shapes and sizes can be customized.

Features:

- ★ One-Way Seal Valve ensures air-lock without heat sealing.
- ★ Superior airtightness, strong bearing capacity, durable construction.
- ★ Customizable types adapt to various packaging while minimizing storage.



MINI-AIR-TUBE4



DESKTOP INFLATION DEVICE



HAND-TOOL

MINI AIR® Air Column Bag Specification

Shape	Thickness (μm)	Width (mm)	Length per bag (mm)	Length/Roll (m)	Warranty	Certificates	Capable with
Sheet type	40-105	200-1200	120-2500	50-300	2years	Reach/RoHS	MINI AIR TUBE 4
L,Q,U bag		150-600					

13

BioAir® Column Bag



▲ Patent Certificates



▲ OK Compost Certified

It will degrade into water and carbon within one year under composting conditions.

Bio-based Material


Shock/Drop Protection

Customization Support

High-Barrier Air Retention

Pressure Resistance

On-Demand Filling



BioAir® Column Bag Specification

Shape	Thickness(μm)	Width(mm)	Length per bag(mm)	Length/Roll(m)	Warranty
Sheet type	50-70	340-800	320-540	50-100	10months
L bag					

MINI AIR[®] Max Inflatable Shoe Trees




Prevents upper creasing & deformation,
maintaining original shape and comfort throughout storage/shipping.




1. On-demand filling saves storage space.



2. Tough and durable.



3. Automatic Heat-sealed adhesive.




4. Easy tearing line, easy to tear.

Name	Thickness (μm)	Width (mm)	Length per bag (mm)	Print	Warranty
MINI AIR Max Inflatable Shoe Trees	15-38	150-400	150-320	One color print	12months

Note: For other sizes, please contact the sales team.

Touch Screen Control Panel

3 operation modes available.
Allow 4 different programs preset.



Note: Foot pedal is available under Manual mode.



Specification

Power: 500w

Speed: 25m/min

Voltage: AC220V 50Hz

Weight: 90kg

Size: L1250*W1000*H1150 (mm)

Application: Single layer / Double layer paper



Optional Part: Paper Rewinder



Angle adjustable.



Emergency stop button,
more safer.



Universal brake wheel
easy to move and fix.



High performance
paper cushion



- 1) Strong cushion pad, better cushion effect.
- 2) Kraft paper material, eco-friendly.
- 3) Multi sizes available, bigger application.



Width: about 160mm



▲ FSC Certified



▲ RoHS Certified

Paper Material	Width(mm)	Gram(g/m ²)	Length/roll(m)
Single layer paper roll	760	70	350
Double layer paper roll		70/70	175
Fan-fold paper	500	80	350



Cushion Pad(Double layer)



Fill Pad(Single layer)

Applications:

- ◎ Auto Parts
- ◎ Ceramics Artworks
- ◎ E-commerce
- ◎ Lamps
- ◎ Electronics
- ◎ Industrial Components

Tabletop type available.



Wide Application:
fanfold paper, honeycomb paper.

Note: Start/Stop machine with foot pedal under manual mode.



- ★ 3 modes: Continuous / Re-Fill / Manual
- ★ High cutting precision
- ★ Sensor built in, stop when no paper.
- ★ Adjustable speed, length and quantity.
- ★ Height and angle adjustable.

Specification

Power: 65w

Speed: 0-60m/min

Voltage: AC110-220V 50-60Hz

Weight: 37kg

Size: L600*W600*H1350-1750 (mm)



High speed up to 60m/min.



Emergency stop.



Fanfold paper
package display.



Honeycomb paper
package display.

Machine is detachable and easy to assemble.

PaperEZ SmartFill M Specification

Size: L600*W523*H735-1035 (mm)

Weight: 13kg

Packing Size: L710*W610*H425 (mm)



Height & Angle Adjustable

Suction cup design to fix machine well.

Void-fill paper cushion package display.

PaperEZ Fanfold Paper Specification



Gram Weight	Size Per Piece	Weight	Length	Box/Pallet
50g	380*280mm	10.45kg	550m	60
70g	380*280mm	10.64kg	400m	60
80g	380*280mm	12.16kg	400m	60



Note: Start/Stop machine with foot pedal under manual mode.



Manual Cutter



Auto Cutter



Mounted Handing Seat

Specification

Power: 50w

Speed: 0-20m/min


Voltage: AC100-240V

Weight: 16kg


Size: L630*W305*H300 (mm)



Modes Switch Button
Max Speed: 20 m/min



Optional Cutter Available



Tension Adjustable



Lining paper (optional)
for surface protection.



Easy Operation



High Efficiency



Tension Adjustable



Flexible

Specification(Standard)

Size: L660*W300*H225 (mm)


Net Weight: 8kg

Specification (with supporting rod for white lining paper)

Size: L660*W316*H320 (mm)

Net Weight: 9kg

Note: Need to buy paper separately.



Consumables: honeycomb
paper width $\leq$ 500mm



Tension adjustable



Suction up feet, fix the
machine well.




Honeycomb Paper
Package Display

PaperEZ® WrapBOX Wrap Box A/E



Eco-friendly kraft
paper raw material



Save storage space



Manual operation, simple and efficient.
No extra cutting or tapes needed.



▲
Refillable

PaperEZ WrapBox-A Specification

Product Size: 555*230*157mm

N.W: 5.2kg

Paper roll: Honeycomb paper 500mm * 80g * 80m

G.W: 5.5kg

+ white lining paper 300mm * 20g * 135m

Box size: 590*260*170mm

PaperEZ WrapBox-E Specification

Box Size: 195*195*340mm

G.W: 4.6kg

Honeycomb paper roll: 300mm * 80g * 175m



With adhensive tape on bottom

No machine needed.

PaperEZ[®] Wrap Honeycomb Paper



FSC & RoHS Certified




Eco-Friendly



Excellent Cushion Effect



Exquisite Appearance



Wide Application


500mm



500mm

Length before stretching

380mm



750mm

Length after stretching

Specifications

Color: Brown/white/black/red...

Gram Weight: 70g/80g

Width: 300/400/500/600 (mm)

Length of Raw Paper: 80m/250m



Black



White



Red




Multi Colors &
OEM Available

Optional: Roll Paper or Fanfold Paper

Note:

Get the paper length freely by foot pedal.



3D concave-convex bubble ensure the best cushion effect.

- ★ Freely switch to automatic mode or foot pedal mode.
- ★ Length and counts can be preset.
- ★ Sensor built-in, automatic cutting, easy operation.
- ★ Paper Output Automatically.

Specification

Power: 120w

Speed: 10m/min

Voltage: AC100-240V 50-60Hz

Weight: 27kg

Works for paper : 80gsm、width≤400mm

Dimension(main body part): L695*W260*H285(mm)

Dimension(with fanfold paper plate): L695*W530*H285(mm)

Dimension(with paper roll holder): L695*W410*H285(mm)



For fanfold paper



For paper roll





Touch-screen, easy operation



Package Display



3D concave-convex bubble,
better cushion effect.



FSC & RoHS Certified

- ★ Stacked fanfold type, save the room.
- ★ Easy tear design, fast and convenient.
- ★ Made by paper, fully compostable.

Specification

Name: Bubble Paper	Material: Kraft paper
Bubble diameter: 12.5mm	Bubble depth: 2.6-3.0mm
Length per piece: 300mm	Paper Width: 200-600mm

Gram Weight(g/m ²)	70	80
Raw material paper length(m)	380	350
Finished paper bubble length(m)	355	327



Cosmetics



Ceramics and articles



Fruits



Daily necessities

PaperEZ[®] MH-101A Automatic Strapping Machine




Paper Strap



Plant Fiber Strap

The machine
can be adapted to the width of
0.8*12-1*15mm straps.



Stable Motor



Four modes



Copper heating
buckle free fusing.



Individual perm transformer

Multiple
package
methods



“—” type



“+” type



“井” type



Multilateral packing



PaperEZ[®] PZMH-101A Specification

Power:1.0kw

Voltage:AC380V.50/60Hz

Strapping size(W*H): Min box size (80x100mm), Standard frame size (800x600mm) (can be customized)

Height of workbench: 750mm (can be customized)

Strapping speed: 2.5s/time

Binding force: 0-60kg (adjustable)

Machine weight: 220kg

Bearing strength: 80kg

Machine body size: L1400*W628*H1418 (mm)

Compatible strap sizes: 0.8*12mm - 1*15mm

Tray size: W160-180mm, ID200-210mm, OD400-500mm.

Bonding Method: Thermal fusion, base adhesion, bonding area $\geq 90\%$, position tolerance $\leq 2\text{mm}$.

- Easy to plant and has a short growth cycle.

Plant Fiber Strap




▲ RoHS、REACH

▲ Paper Strap

- Bio-based paper fiber, recyclable, biodegradable.



Eco-friendly



Strong bearing



Folded without cracking



Puncture-proof



Low tensile

Specification (Standard Sizes)


Type	T * W(mm)	Bearing(kgf)	Maximun Length(m)	Application
Paper Strapping	0.8*12	≥45	≤1200	Box weight ≤ 10kg
Plant Fiber Strapping	0.8*12	≥75		Box weight ≤ 50kg
	1.0*12	≥100	≤1000	Box weight ≤ 70kg
	1.0*15	≥130		Pallet weight ≤ 1000kg



Automatic strapping machine friendly.



Strapping tool friendly.



High bearing capacity maximum 130kg.



Suitable for palletizing and cartons packing.



- ★ Automatic foaming and bag dropping.
- ★ Different foaming types are available.
- ★ Multiple sets of data can be preset and stored.
- ★ Automatic cutting and sealing make packaging high efficiency and simple.

Specification

Power: 4000W (instantaneous)


Voltage: 220V, 32A

Weight: 252kg (machine only)

Foam liquid



Foam film



Foam A: 250kg or 60kg / barrel
Foam B: 213kg or 50kg / barrel

Specifications: 480mm*23μm*660m
Weight: 14.5kg (including paper core)

Package Display
For Bag-shaped foam, Tubular foam



▲ Manual Operation



Foaming ratio: 100times



Save storage space



360° protection

Specification


- ★ Instant expanding foam.
- ★ Foot pedal for simple and efficient operation.

Power: 3500W(instantaneous)
Voltage: 220V, 50HZ
Weight: 90kg (machine only)

Foam liquid



Foam film



Packaging Display

Foam A: 250kg or 60kg/barrel 475mm*20μm*660m*12.31kg
Foam B: 213kg or 50kg/barrel 760mm*20μm*660m*22.70kg
910mm*20μm*660m*23.59kg

Applications: ◎ Auto parts ◎ Sanitary ◎ Industrial components ◎ Electronic instrument etc...



- Foam in place
- Close Fitting
- No need mould
- Save the space

Specification

Item No	10#	20#	40#	60#	80#
Size	350*410mm	460*450mm	460*580mm		530*620mm
Unit weight	0.1kg	0.14kg	0.18kg	0.22kg	0.25kg
Qty/box	100pc/box	68pc/box	48pc/box		40pc/box



- Applications:
- ⊙ Auto parts


⊙ Sanitary

⊙ Industrial components

⊙ Electronic instrument

TapeZ[®] Hand-held Dispenser

Special brush, water coating evenly.



Easy Operation



Eco-friendly



Compact

Specification

Size: L343*W81*H132 (mm)

Weight: 0.475kg

Works for water activated tapes:



Remark: Tapes needs to be ordered separately.



140ml water tank



Applicable to both standard & reinforced water-activated tape




Easy to cut



Strong adhesion for secure bonding

TapeZ[®] Auto Dispenser



4 intelligent modes available,
satisfy different packaging needs.



Note: Foot pedal switch available.

Specification

Rated Power: 70W

Max Speed: 60m/min

Voltage: AC100-240V

Weight: 11kg

Size: 470mm x 290mm x 255mm

Works for Tapes: Width: 36-100mm

Outer diameter ≤ 180mm

★ Upgrade

Optional paper guide to avoid the tape stick.
Special design cotton brush, wet the tape evenly.
Few and easy maintenance.

★ High efficiency

Apply for standard and reinforced water activated tapes.
High speed as 60m/min to meet operation line needs.

★ Intelligent


Tape output interval time can be preset.
Manual Mode, Line Shape, Cross Shape & H Shape & “王” shape.
Visible and Large water tank, no need to add water frequently.



JifBag® Mailer Bubble Paper Padded Mailer




Paper-based packaging, a good replacement for plastic mailer, easy to pack, recyclable, renewable, and biodegradable.



Speficiation

Length (mm)	200-600mm (including flap: 40mm)
Width (mm)	150-600



3D concave-convex bubble padded inside, better cushion effect.



Self-sealing, easy to open.




Adhesive strip secures bags instantly.




Application: Book, cosmetics, electronics, stationary.

JifBag® Mailer Honeycomb Paper Padded Mailer



Paper-based packaging, a good replacement for plastic mailer,
easy to pack, recyclable, renewable, and biodegradable.

Customized color & sizes available



Specification for standard sizes

Length(mm)	200-500mm (including flap: 40mm)
Width(mm)	150-600



Optional double or single layer
honeycomb paper padded.



Self-sealing,
easy to open.



Adhesive strip secures
bags instantly.



Pack and go,
easy to use.

JifBag® Mailer Inflatable Bubble Mailer



▲
Jifbag Bubble Mailer

▲
Jifbag Plus Bubble Mailer

Jifbag Bubble Mailer Specification

Material	HDPE	LDPA
Thickness(μm)	20	30
Width(mm)	220-330	
Height(mm)	340-440	
Length(m/roll)	150-300	150-200
Support Machines	PRO2/PRO3	

Jifbag Plus Bubble Mailer Specification

Material	LDPA(inner bag)
Thickness (μm)	30
Width(mm)	180-330
Height(mm)	240-440
Length(m/roll)	100
Support Machines	PRO3

Height



Width

Customized size
are available.

Height



Width

Self-adhesive tape

Inner bag: LDPA

Outer bag: 40μmHDPE

Apply the label,
send out goods right away.

SuperAir Dunnage Bag



▲ Kraft Paper Dunnage Bag (A)



▲ PP Dunnage Bag (B)




Shock and
crush resistant



Reusable



All-round
protection



Regular Sizes


Item No	Specifications (mm)	Maximum filling gap (mm)
A0510	500X1000	<250
A0812	800X1200	<350
A0912	900X1200	<400
A0916	900X1600	

Regular Sizes

Item No	Specifications (mm)	Maximum filling gap (mm)
A0921	900X2100	<400
A1018	1000X1800	
A1221	1200X2100	<500
A1224	1200X2400	

Note: A (Kraft paper bag); B (PP bunnage bag); Above specifictions are applicable to A and B.

Inflators



Speedy Inflator

Inflator Air Pipe

- ★ High speed, high efficiency.
- ★ Increase inflation speed and save energy.
- ★ Adjustable air pressure to prevent overcharge.
- ★ Improve the reuse rate with air deflate function.

AMESON

Xiamen Ameson New Material Inc.

 Hotline: +86-592-5538744

 Web: www.amesonpak.com

 Address: No. 66 Kengping Road, Guankou Town, Jimei District, Xiamen City, Fujian Province, China.

Ameson (USA) Packaging Inc.

 Tel: +1 214 694 2210

 Web: www.cushionpak.com

 Address: 10482 Brockwood Rd, Dallas,TX 75238



Website



Youtube



Linkedin



Facebook



Twitter